



101 627 876

COFC

Docket No.: TRAUMA 3.0-433  
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:  
Nils Zander

Patent No.: 7,311,710

Issued: December 25, 2007

For: TARGETING DEVICE FOR A LOCKING  
NAIL

**Certificate**

DEC 10 2008

**of Correction**

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Dear Madam:

Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent.

The corrections indicated should be made as the application originally filed does not contain such errors. There is no requirement for payment of a fee since the errors were made by the Patent Office.

We look forward to early return of the Certificate of Correction duly certified.

Dated: December 5, 2008

Respectfully submitted,

By 

Raymond W. Augustin  
Registration No.: 28,588  
LERNER, DAVID, LITTENBERG,  
KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090  
(908) 654-5000

Attorney for Applicant

952924

DEC 10 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,311,710  
APPLICATION NO. : 10/627,876  
ISSUE DATE : December 25, 2007  
INVENTOR(S) : Nils Zander

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 39, after small, delete "in".  
Column 2, line 60, "prevented from" should read --prevented from attaining--.  
Column 3, line 21, "which" should read --with--.  
Column 3, line 27, "implantation of a bone nail" should read --implantation, a bone nail acts--.  
Column 3, line 36, after but, delete "are".  
Column 4, line 4, "but has the" should read --and has the--.  
Column 4, line 34, after connecting portion 12, delete "on".  
Column 4, line 42, "axis" should read --axes--.  
Column 5, line 6, "are formed" should read --is formed--.  
Column 5, line 51, "that is can" should read --that it can--.  
Column 6, line 12, "are from" should read --are made from--.  
Column 6, line 54, "lever is fixedly" should read --lever which is fixedly--.  
Column 7, line 23, "in direction" should read --in a direction--.  
Column 8, line 19, "second a locking elements," should read --second locking elements,--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Raymond W. Augustin  
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090

**DEC 10 2008**  
1